



STAN-LUBE PARAFFINIC PROCESS OILS

Stan-Lube Paraffinic process oils consist of the following grades Stan-Lube 10, 15 and 60, which are Group II type oils and produced using the hydrocracking method. These highly refined process oils are fairly low in volatility, very low in aromaticity and have excellent color.

The Stan -Lube 80 grade is a Group I product that is also highly refined and is produced by distillation solvent extraction and solvent dewaxing of high quality crudes. This product has very low volatility, low aromaticity and good color stability, along with good oxidation and heat resistance.

These process oils are used as plasticizers and extenders in saturated polymers such as EPR, EPDM, Butyl and for applications such as caulks and sealants. These oils have limited utility in unsaturated polymers and more polar elastomers such as Polychoroprene(CR) and Nitrile (NBR) rubber.

Typical properties of the popular grades are shown below. Technical and White mineral oils to meet specific requirements are also available.

	<u>Group II</u>		<u>Group I</u>	
Properties Viscosity, SUS @ 40°C	<u>10</u> 80	<u>15</u> 150	<u>60</u> 500	<u>80</u> 2500
API Gravity	33.8	31.5	29.3	26.5
Specific Gravity 60°C/60°F	0.856	0.868	0.886	0.896
Color, ASTM D1500	1.5	1.5	2	7
Flash Point (°C) COC	200	205	270	310
Aniline Point (°C)	100	105	115	127
Refractive Index (20°C)	1.4705	1.477	1.483	1.493
Volatility, 22 Hrs @ 107°C	0.8	0.6	0.2	0.01
6/8/98 Revised 2/18/13				

TYPICAL PROPERTIES OF STAN-LUBE PARAFFINIC PROCESS OILS

6/8/98 Revised 2/18/13

HARWICK STANDARD MAKES NO WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE GOODS OR USES OF THE GOODS OR PERFORMANCE OF THE GOODS AND MAKES NO WARRANTIES OF THE FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY. BUYER ACKNOLEDGES THAT HARWICK STANDARD WILL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, DIRECTO OR SPECIAL DAMAGES ARISING, DIRECTLY OR INDIRECTLY, IN RESPECT TO SUCH GOODS OR THE USE OR FAILURE TEHEREOF, WHETHER BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILTY IN TORT OR OTHERWISE.

HARWICK STANDARD DISTRIBUTION CORPORATION 60 S. SEIBERLING ST. * P.O. BOX 9360 * AKRON, OH 44305-0360 * U.S.A. PHONE: (330) 798-9300 * FAX: (330) 798-0214 WWW.HARWICKSTANDARD.COM