



Technical Data Sheet

WINGSTAY[®] SP


Mixed styrenated phenols

KEY ADVANTAGES

- Non-discoloring, non-staining liquid antioxidant

APPLICATIONS

- Protection of natural and synthetic rubber articles from hardening, wearing and general surface deterioration
- Stabilization of synthetic rubber (e.g. SBR)
- Protection of various light colored rubber products made from natural latex such as foams, printing rolls and bathing caps
- Protection of adhesives



CAS Reg. N° 61788-44-1

TYPICAL PROPERTIES

Physical form	Clear, straw colored viscous liquid (<i>Wingstay SP</i> Powder is available as 70% active on inert silica)
Specific gravity	1.083
Average molecular weight	320 g/mol
Viscosity @ 25 °C (mPa°s)	5500
Viscosity @ 50 °C (mPa°s)	250
Refractive index @ 25°C	1.5995

PACKAGING, HANDLING AND STORAGE

- Packaging: Wingstay SP Liquid: Heavy duty open head drums with two sealable bungs (2 in. and 3/4 in.). Dimensions (mm): D: 585, H: 883. Net weight: 200 kg (440 lbs). (Wingstay SP Powder, 70% active: 2-cell corrugated box with 2 (two) 11.34 kg. (25 lb.) poly bags per box; 25 boxes per pallet and stretch wrapped. Net weight 1250 lbs (567 kg)).
- Storage: Store in dry, well ventilated area away from direct sources of heat or sun.
- Please read the material safety data sheet (MSDS) prior to use. To obtain a copy, please contact your Customer Service Representative.

NOTE: Although the data supplied above is believed to be accurate, each user is advised to make an independent determination as to whether the described product(s) is/are appropriate for a particular use or application, whether such use will comply with all applicable laws or regulations, or whether such use will infringe the intellectual property rights of third parties.

www.omnova.com



Americas			
World Headquarters			
175 Ghe	175 Ghent Road		
Fairlawn, OH 44333 USA			
PHONE	+1 330 869-4323		
FAX	+1 330 869-4338		
CUSTOMER SERVICE	+1 888 253-5454		
EMAIL	pccustserv@omnova.com		

Europe / Middle East /
Africa / India14, avenue des Tropiques2.A. de Courtaboeuf 2 - Villejust91955 Courtaboeuf CedexFrancePHONE+33 (0) 1 69 29 27 00FAX+33 (0) 1 69 29 27 01

Asia

Unit 09-11, 7th Floor, Greenland Riverside International Center 596 Long Hua Middle Road, Xu Hui District Shanghai, 200032, China PHONE +86 (21) 6473 2525 FAX +86 (21) 5421 1766

ALL OMNOVA PRODUCTS AND SERVICES ARE OFFERED AND SOLD SUBJECT TO THE OMNOVA STANDARD TERMS AND CONDITIONS OF SALE AGREEMENT SET FORTH AT WWW.OMNOVA.COM.

All trademarks - OMNOVA Solutions.

© 2014 OMNOVA Solutions, Inc. July 2014

harwickstandard.com Marketed By Harwick Standard Distribution Corporation