

SECTION 4 -- FIRE AND EXPLOSION DATA

Flammability Classification: OSHA 11
DOT: Not regulated

Flash Point of solvent(deg. F): >600°F

Extinguishing Media: Foam, carbon dioxide, dry chemical, sand.

Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat.

Special Firefighting Procedures: Water is a suitable extinguishing medium.

SECTION 5 -- HEALTH HAZARD DATA

Effects of Overexposure:

Eye contact-- May cause irritation.

Skin contact-- May cause dryness, irritation, or dermatitis.

Inhalation-- May cause irritation in respiratory tract.

Ingestion--May cause aspiration of small amounts of material into lungs resulting in possible irritation of mucous membranes or central nervous system damage.

Primary Routes of Entry: Skin contact.

Emergency and First Aid Procedures:

Eye contact: Flush with large amounts of water for 15 minutes or until irritation subsides. If irritation persists, call physician.

Skin contact: Wash with soap and water. Remove and wash contaminated clothing.

Inhalation: Remove affected person to fresh air. Restore normal breathing.

Ingestion: Do not induce vomiting. Call physician.

SECTION 6 -- REACTIVITY DATA

Product Stability: Stable

Conditions to avoid: Extreme heat, sparks, open flames.

Hazardous decomposition products: Incomplete combustion can form carbon monoxide, smoke, or fumes.

SECTION 7 -- SPILL OR LEAK PROCEDURES

Procedure When Material Spilled or Released: Scoop up material and place in suitable container. Absorb excess solvent with sand or dry earth.

Waste Disposal Method: Dispose of contaminated material in accordance with local, state, and federal regulations.

SECTION 8 -- SPECIAL PROTECTION INFORMATION

Ventilation: Use with ventilation sufficient to prevent buildup of dangerous concentrations of solvent vapor in air.

Protective Gloves: Use chemical resistant gloves to avoid prolonged skin contact.

Respiratory Protection: Not normally required if product is used in sufficiently ventilated area.

Eye Protection: Use chemical goggles.

Other Protective Equipment: Use chemical apron.

SECTION 9 -- SPECIAL PRECAUTIONS

Handling and Storage: Store in closed containers in a cool, dry, well-ventilated area.

Other Precautions: Do not ingest. Avoid prolonged contact with skin, contact with eyes, and breathing vapor.

The information contained in this data sheet was obtained from sources we believe are reliable but cannot guarantee. Your use of this information is beyond our control. Therefore, the information is provided without any representation or warranty.

The purpose of this attachment to the MSDS for inks sold by MD-BOTH is to inform you that these products contain toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. We are required to notify you of the presence of these chemicals under this Act. This law requires certain manufacturers to report on annual emissions of specified toxic chemicals and chemical categories.

On the accompanying chart inks supplied by MD-BOTH are listed according to their 4-digit product code. Next to each code number is shown the percentage of each reportable chemical it contains. The Chemical Abstracts Service (CAS) number for each reportable chemical is also shown.

Please note that if you repackage or otherwise redistribute this product to industrial customers, a notice similar to this one should be sent to those customers. Any copies or redistribution of this MSDS must include this section 313 notification, including the accompanying chart.

* PER CENT BY WEIGHT OF SECTION 313 REPORTABLE CHEMICALS IN READY-MIXED METALLIC INKS SUPPLIED BY MD-BOTH.

Product Code	Shade	*		% VOC
		% Copper CAS No. 7440-50-8	% Zinc CAS No. 7440-66-6	
2068	Rich	24	11	<1
2069	Richpale	27	8	<1
2070	Pale	32	3	<1
2071	PMS 871	27	7	<1
2072	PMS 872	28	6	<1
2073	PMS 873	29	5	<1
2074	PMS 874	31	3	<1
2075	PMS 875	31	3	<1
2076	PMS 876	29	3	<1
2078	Richpale	28	7	<1
2079	Richpale	28	6	<1
2080	Rich	21	9	<1
2081	Richpale	23	7	<1
2082	Pale	27	3	<1
2083	Richpale	21	6	<1
2087	Rich	21	6	<1
2088	Rich	24	9	<1
2093	Rich	24	11	<1
2096	Rich	22	9	<1
2097	Richpale	28	7	<1
2098	Richpale	25	6	<1
2400	Rich	24	11	<1
2401	Pale	32	3	<1
2468	Rich	21	9	<1
TFU106		26	9	<1