

**MD-BOTH INDUSTRIES**

40 Nickerson Road
 Ashland, MA 01721-1912
 Tel: (508) 881-4100
 Fax: (508) 881-1656

Hazard Ratings	
Minimal.....0	HEALTH 1
Slight.....1	FLAMMABILITY 1
Moderate.....2	REACTIVITY 0
Serious.....3	PERSONNEL
Severe.....4	PROTECTION B

MATERIAL SAFETY DATA SHEET

Date of Preparation: February 25, 1998
 Prepared by: Steve Clark

MARKETED BY
**HARWICK STANDARD
 DISTRIBUTION CORPORATION**
 60 S. Seiberling Street • Akron, Ohio 44305

SECTION 1

Manufacturer's Name: MD-Both Industries
 Street Address: 850 Hawthorne Lane, West Chicago, IL 60185
 Emergency Telephone #: CHEMTREC 800-424-9300 24HRS
 Product Class: Ready-mixed Waterbased Metallic Gold Ink
 Trade Name: Unipak Gold Ink, For Absorbent Stock
 Product Codes: 2156, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2178, 2179,
 2180, 2181, 2182, 2183, TFU 405

SECTION 2 – HAZARDOUS INGREDIENTS

This product contains the following toxic chemical subject to the reporting requirements of section 313 of the Emergency Planning & Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS Number</u>	<u>Chemical</u>	<u>% by weight</u>	<u>TLV (8 hr TWA)</u>	<u>LEL</u>	<u>Vapor pressure</u>
7440-50-8	Copper	See page 3	1mg/m ³ (as dust)	N/A	N/A

This product also contains the following hazardous ingredients:

7440-66-6	Zinc	See page 3	10 mg/m ³ (as dust)	N/A	N/A
-----------	------	------------	--------------------------------	-----	-----

All ingredients in this product are listed in the TSCA inventory and are found on the Canadian DSL.

SECTION 3 -- PHYSICAL DATA

Boiling point (deg. F): 212.0
Type of odor: Mild acrylic odor
Appearance: Gold colored liquid
Evaporation rate: Slower than butyl acetate

Vapor density: Heavier than air
% VOC: <1.0%
% Total Solids : 45-50

SECTION 4 -- FIRE AND EXPLOSION DATA

Flammability Classification: OSHA : III B
DOT: Not regulated
Flash Point of solvent (deg. F): >200°F
Extinguishing Media: Foam, carbon dioxide, dry chemical, sand.
Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat.
Special Fire fighting Procedures: Use supplied air breathing apparatus.

SECTION 5 -- HEALTH HAZARD DATA**Effects of Overexposure:**

Eye contact: May cause irritation.

Skin contact: May cause dryness, irritation, or dermatitis.

Ingestion: May cause irritation of gastrointestinal tract.

Primary Routes of Entry: Skin contact.

Emergency and First Aid Procedures:

Eye contact: Flush with large amounts of water for 15 minutes or until irritation subsides.

If irritation persists, call physician.

Skin contact: Wash with soap and water. Remove and wash contaminated clothing.

Ingestion: Do not induce vomiting. Call physician.

SECTION 6 -- REACTIVITY DATA

Product Stability: Stable under normal conditions.

Conditions to avoid: Extreme heat. Avoid contact with strong oxidizing agents.

Hazardous decomposition products: Incomplete combustion can form carbon monoxide, smoke, or fumes.

SECTION 7 -- SPILL OR LEAK PROCEDURES

Procedure When Material Spilled or Released: Scoop up material and place in suitable container. Absorb excess solvent with sand or dry earth.

Waste Disposal Method: Dispose of contaminated material in an approved landfill or an approved incinerator that can accept metal containing organic waste.

SECTION 8 – SPECIAL PROTECTION INFORMATION

Protective Gloves: Use chemical resistant gloves to avoid prolonged skin contact.

Respiratory Protection: Not normally required if product is used in sufficiently ventilated area.

Eye Protection: Use chemical goggles to minimize chances of contact with eyes.

SECTION 9 – SPECIAL PRECAUTIONS

Handling and Storage: Store in closed containers in a cool, dry, well-ventilated area.

Other Precautions: Do not ingest. Avoid prolonged contact with skin, contact with eyes, and breathing vapor.

PER CENT BY WEIGHT OF COPPER AND ZINC IN READY-MIXED METALLIC INKS SUPPLIED BY MD-BOTH.

<u>Product Code</u>	<u>Shade</u>	<u>% Copper</u> (CAS No. 7440-50-8)	<u>% Zinc</u> (CAS No. 7440-66-6)
2168, TFU 405	Rich	24	11
2156	Rich	24	11
2169	Richpale	27	8
2170	Pale	32	3
2171	PMS 871	27	8
2172	PMS 872	28	7
2173	PMS 873	29	6
2174	PMS 874	31	4
2175	PMS 875	31	4
2176	PMS 876	29	4
2178	Richpale	28	7
2179	Richpale	28	7
2180	Rich	27	11
2181	Pale	34	4
2182	Richpale	32	6
2183	Richpale	25	10

The information contained in this data sheet was obtained from sources we believe are reliable but cannot guarantee. Your use of this information is beyond our control. Therefore, the information is provided without any representation or warranty.