

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 23-Apr-2019 Revision date 23-Apr-2019 Revision Number 1

1. Identification

Product identifier

Product Name Kaolin Clay

Other means of identification

Product Code(s) Acti-Min® Kaolin, Acti-Cast Series, Acti-Min® Series, Carotex Series, Crown Series, Dover

Series, HC Series, Natka Series, RC Series, T Series, AFC, Champion, EW150, PK100,

Reducto, Secco, Smithko525, Union RC-1

Synonyms Hydrated aluminum silicate; Air Float Clay; China Clay

Recommended use of the chemical and restrictions on use

Recommended use Fillers; Constituent in fiberglass; Ceramics; Concrete

Restrictions on use For industrial use only.

Details of the supplier of the safety data sheet

Supplier Address

Active Minerals International, LLC 34 Loveton Circle Suite 100 Sparks, MD 21152 USA 410-825-2920

Emergency telephone number

Emergency Telephone 24 Hour Emergency Phone Number: 000-800-100-4086; 1-800-255-3924 (ChemTel)

2. Hazard(s) identification

Classification

Carcinogenicity Category 1A

Label elements

Danger

Hazard statements

May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Common name Kaolin.

Synonyms Hydrated aluminum silicate; Air Float Clay; China Clay.

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Kaolin	1332-58-7	99	-	-
Quartz	14808-60-7	1	-	-

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash skin with soap and water.

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Ingestion

No information available.

Hazardous combustion products None.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Avoid generation of dust. Store away from incompatible materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH T	OSHA PEL		NIOSH IDLH			
Kaolin	TWA: 2 mg/m ³ p	TWA: 2 mg/m ³ particulate		mg/m³ total dust			m ³ total dust
1332-58-7	1	matter containing no asbestos		g/m³ respirable	TWA: 5	mg/m³	respirable dust
	1	and <1% crystalline silica,		fraction			
	respirable particu	respirable particulate matter		VA: 10 mg/m ³ total			
				dust			
				(vacated) TWA: 5 mg/m ³			
			respirable fraction				
Quartz	_					DLH: 50 mg/m³ respirable	
14808-60-7	particulate n	natter	(vacated) TWA: 0.1 mg/m ³			dust	
					TWA: (0.05 mg/	•
			: (250)/(%SiO2 + 5) mppcf			dı	ust
			TWA respirable fraction				
			: (10)/(%SiO2 + 2) mg/m ³				
		TWA respirable fraction					
Chemical name	Alberta	Alberta British C		olumbia Ontario			Quebec
Kaolin	TWA: 2 mg/m ³	TWA: 2	2 mg/m ³ TWA: 2 mg/m		3	TW	A: 5 mg/m³
1332-58-7							
Quartz	TWA: 0.025 mg/m ³	TWA: 0.0	25 mg/m ³ TWA: 0.10 mg/r		m³	TWA	\: 0.1 mg/m ³
14808-60-7							

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protectionNo special protective equipment required.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Powder

None known

Physical state Solid

Color Light grey to white

Odor Earthy

Odor threshold No information available

PropertyValuesRemarks • MethodpH3.5 - 7.5aqueous solution

Melting point / freezing point No data available

Boiling point / boiling range

No data available

Flash point >93 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 2.4-2.7 Water solubility Insoluble

Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties Not applicable.

Oxidizing properties Not applicable.

Softening point
Molecular weight
VOC Content (%)
Liquid Density
No information available

10. Stability and reactivity

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Dust formation. Incompatible materials.

Incompatible materials Hydrofluoric acid.

Hazardous decomposition products None known.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation May cause irritation of respiratory tract.

Eye contact Dust contact with the eyes can lead to mechanical irritation.

Skin contact Contact with dust can cause mechanical irritation or drying of the skin.

Ingestion May cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,055.60 mg/kg **ATEmix (dermal)** 5,055.60 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA	
Quartz	A2	Group 1	Known	X	
14808-60-7					

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability Not readily biodegradable.

Bioaccumulation No information available.

Mobility in soil No information available.

Mobility Insoluble in water.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA All components are listed on the TSCA Inventory.

DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
IECSC Complies.
KECL Complies.

PICCS Complies. AICS Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Quartz - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	
Kaolin 1332-58-7	X	X	Х	
Quartz 14808-60-7	X	X	Х	

U.S. EPA Label Information

EPA Pesticide Registration Number Actimin – FE EPA Reg. No. 92942-1

16. Other information

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and chemical

properties -

Health hazards 0 * Flammability 0 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Prepared By Product Safety Department.

Issuing Date 23-Apr-2019

Revision date 23-Apr-2019

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet