



# SAFETY DATA SHEET

#### FOR INDUSTRIAL USE ONLY

e-free\* 189 Silane

## Section 1. Product and company identification

Product name: e-free\* 189 SilaneChemical name: Organofunctional Silane

Material uses : Coupling agent

Manufacturer/Importer/Distri

**butor Information** 

Momentive Performance Materials - Sistersville

10851 Energy Highway FRIENDLY WV 26146

Contact person : commercial.services@momentive.com

**Telephone** : General information

+1-800-295-2392

**Emergency telephone number** 

**Supplier** : CHEMTREC

1-800-424-9300

### Section 2. Hazards identification

Classification of the substance or

mixture

Not classified.

**GHS** label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**General** : Not applicable.

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

Other hazards which do not

result in classification

None known.

# Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

Chemical name : Organofunctional Silane

e-free\* 189 Silane Page: 2/10

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if symptoms

occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

**Protection of first aid personnel**: No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media : Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

: water jet

Specific hazards arising from the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide silicon oxides

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are

formed due to oxidative degradation.

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this

e-free\* 189 Silane Page: 3/10

> material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for fire-fighters

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without For non-emergency personnel

> suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective

equipment.

For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, **Environmental precautions** 

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

#### Methods and material for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute

with water and mop up if water-soluble. Alternatively, or if waterinsoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste

disposal.

Stop leak if without risk. Move containers from spill area. Prevent Large spill

entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact

information and section 13 of SDS for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** Put on appropriate personal protective equipment (see section 8 of

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be

e-free\* 189 Silane Page: 4/10

carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

### Occupational exposure limits

None.

**Appropriate engineering controls** 

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

### **Skin protection**

**Hand protection** 

chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be

Other skin protection

on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134). Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

### **Appearance**

e-free\* 189 Silane Page: 5/10

Physical state : Liquid Color : colorless.

Odor : sulfur compounds-like

Odor threshold: Not availablepH: Not availableMelting point: <0 °C (32.00 °F)</th>

**Boiling point** :  $227 \, ^{\circ}\text{C} \, (440.60 \, ^{\circ}\text{F})$ 

Flash point : Closed cup: 110 °C (230.00 °F)

**Burning time** : Not available **Burning rate** : Not available

**Evaporation rate** : <1

(n-Butyl acetate=1)

Flammability (solid, gas) : Not available

Lower and upper explosive : Lower: Not available (flammable) limits : Upper: Not available

Vapor pressure : 4.6 hPa @ 25 °C (77.00 °F) (OECD Test guideline 104)

3.8 hPa @ 20 °C (68.00 °F) (OECD Test guideline 104)

**Vapor density** : > 1 [Air = 1]

**Relative density** : Not available

**Density** : 1.105 g/cm3 (OECD Test Guideline 109)

Solubility : Not available Solubility in water : Reactive

Partition coefficient: n-

octanol/water

: Not available

Auto-ignition temperature: Not availableDecomposition temperature: Not availableSADT: Not available

Viscosity : Dynamic: Not available
Kinematic: Not available

Other information

No additional information.

# Section 10. Stability and reactivity

**Reactivity** : Stable under normal conditions.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions

will not occur.

Conditions to avoid : No specific data.

**Incompatible materials** : acids

Bases water

strong oxidizing agents,

**Hazardous decomposition** 

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

e-free\* 189 Silane Page:6/10

# Section 11. Toxicological information

#### **Information on toxicological effects**

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Product Toxicological Data				
	LD50 Oral	Rat	> 2,000 mg/kg	-
	LD50 Dermal	Rat	> 2,000 mg/kg	=

Conclusion/Summary : Not determined

**Irritation/Corrosion** 

Conclusion/Summary

Skin: Not determinedeyes: Not determinedRespiratory: Not determined

**Sensitization** 

Product/ingredient name	Route of exposure	Species	Result
Product Toxicological Data	Sensitisation, skin	Guinea pig	Negative

**Conclusion/Summary** 

Skin : Not determined Respiratory : Not determined

**Mutagenicity** 

Conclusion/Summary : Not determined

Carcinogenicity

Conclusion/Summary : Not determined

Reproductive toxicity

Conclusion/Summary : Not determined

**Teratogenicity** 

Conclusion/Summary : Not determined

Specific target organ toxicity (single exposure)

Not available

Specific target organ toxicity (repeated exposure)

Not available

**Aspiration hazard** 

Not available

**Information on the likely routes of** : Not available

exposure

Potential acute health effects

e-free\* 189 Silane Page:7/10

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available
Potential delayed effects : Not available

#### Long term exposure

Potential immediate effects : Not available
Potential delayed effects : Not available

#### Potential chronic health effects

Conclusion/Summary : Not determined

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Not available

# Section 12. Ecological information

#### **Ecotoxicity**

**Conclusion/Summary** : Not available

Persistence/degradability

Conclusion/Summary : Not available

#### **Bioaccumulative potential**

e-free\* 189 Silane Page:8/10

Product/ingredient name	Species	Exposure	LogPow	BCF	Potential
Product Ecotoxicological Data				-	low

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Other adverse effects

Not available

No known significant effects or critical hazards.

## **Section 13. Disposal considerations**

#### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. See Section 8 for information on appropriate personal protective equipment.

# **Section 14. Transport information**

Special precautions for user

: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

# 15. Regulatory information

#### **United States**

U.S. Federal regulations

: United States - TSCA 12(b) - Chemical export notification: None

required.

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

**United States - TSCA 5(e) - Substances consent order:** Not listed

#### SARA 311/312

**Classification** : Not applicable.

California Prop. 65: None required.

e-free\* 189 Silane Page:9/10

#### Canada

WHMIS (Canada) : Not reviewed.

#### **International regulations**

**International lists**: Australia inventory (AICS): At least one component is not listed.

**Japan inventory:** At least one component is not listed. **China inventory (IECSC):** (Quantity restricted)

**Korea inventory:** All components are listed or exempted.

Canada inventory: At least one component is not listed. (Quantity restricted) Philippines inventory (PICCS): At least one component is not listed. United States inventory (TSCA 8b): All components are listed or exempted.

New Zealand Inventory (NZIoC): At least one component is not listed. Taiwan inventory (CSNN): All components are listed or exempted.

### Section 16. Other information

Hazardous Material Information System III (U.S.A.):

Health	1
Flammability	1
Physical hazards	1

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H

statements

Not applicable.

#### **History**

Date of printing: 06/17/2016Date of issue/Date of revision: 06/29/2015Date of previous issue: 06/11/2015Version: 1.3

Prepared by

Key to abbreviations

: Product Safety Stewardship

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail UN = United Nations

**References** : Not available

#### Notice to reader

e-free\* 189 Silane Page:10/10

Unless otherwise specified in section 1, Momentive Products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives Keep out of the reach of children.

### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.