

# SAFETY DATA SHEET

ARKEMA GROUP accordance with Annex II of Regulation (EC) No 1907/2006 and

its amendment(s)

## **Product:**

# Mixland+ MMBI 70% GA

Page: 1 / 10

```
SDS No.: 100064-100 (Version 1.1)
```

Date 20.05.2016 (Cancel and replace : 20.02.2015)

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Identification of the product

Identification of the mixture: Mixland+ MMBI 70% GA

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Antioxidant

## 1.3. Details of the supplier of the safety data sheet

Supplier

MLPC International 209, Avenue Charles Despiau F-40370 RION-DES-LANDES FRANCE Tel. + 33 (0) 5 58 57 02 00 http://www.mlpc-intl.com fds@mlpc-intl.com

## 1.4. Emergency telephone number

+44 (0) 1235 239 670 (Carechem24 - MLPC 29003) Europe 001866 928 0789 (Carechem24 - MLPC 29003) Americas +65 3158 1074 (Carechem24 - MLPC 29003) Asia-pacific region (excluding China) +86 400 6267911 China mainland

#### 2. HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008):

Oral: Acute toxicity, 4, H302 Acute toxicity, 4, H332 Reproductive toxicity, 2, H361f Oral: Specific target organ toxicity - repeated exposure, 2, H373 Chronic aquatic toxicity, 1, H410

#### Additional information:

For the full text of the H, EUH-phrases mentioned in this Section, see Section 16.

## 2.2. Label elements

Label elements (REGULATION (EC) No 1272/2008):

Hazardous components which must be listed on the label:

1,3-Dihydro-4(or 5)-methyl-2H-benzimidazole-2-thione



Signal word:

Warning

Hazard statements:

H302 + H332 : Harmful if swallowed or if inhaled

H361f : Suspected of damaging fertility.

H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.

H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements:

#### Prevention:

P260 : Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P281 : Use personal protective equipment as required.
Response:
P312 : Call a POISON CENTER/doctor if you feel unwell.
P314 : Get medical advice/ attention if you feel unwell.
Storage:
P403 + P233 : Store in a well-ventilated place. Keep container tightly closed.
Disposal:

P501 : Dispose of contents/ container to an approved waste disposal plant.

#### 2.3. Other hazards : None.

Other:

Results of PBT and vPvB assessment : Based on the available information, it is not possible to conclude on the hasard potential of this mixture.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

## Chemical nature of the mixture<sup>1</sup>:

Preparation based on polymers and

Hazardous components (accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)) :

Chemical name <sup>1</sup> & REACH Registration Number <sup>2</sup>	EC-No.	CAS-No.	Concentration	Classification REGULATION (EC) No 1272/2008
1,3-Dihydro-4(or 5)-methyl-2H-benzimidazole-2-thione (01- 2119970309-30)	258-904-8	53988-10-6		Acute Tox. 4; H302 Acute Tox. 4; H332 Repr. 2; H361fd Aquatic Chronic 1; H410 STOT RE 2; H373
Distillates (petroleum), hydrotreated light paraffinic (01- 2119487077-29) (N° ANNEX: 649-468-00-3)	265-158-7	64742-55-8	- /	AH 1; H304 Nota L: DMSO <3%

<sup>1</sup>: See chapter 14 for Proper Shipping Name

<sup>2</sup> :See the text of the regulation for applicable exceptions or provisions : The transition time according to REACH Regulation, Article 23, is still not expired.

For the full text of the H, EUH-phrases mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1. Description of necessary first-aid measures:

#### General advice:

Take off immediately all contaminated clothing.

#### Inhalation:

Move to fresh air. Consult a physician.

#### Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### Eye contact:

Wash well-open eyes immediately, abundantly and thoroughly with water. Consult an ophthalmologist.

#### Ingestion:

Call a physician immediately. Do not induce vomiting without medical advice. Rinse mouth.

#### Protection of first-aiders:

If entering a saturated atmosphere, wear a self contained breathing apparatus.

MLPC International

Mixland+ MMBI 70% GA

## 4.2. Most important symptoms/effects, acute and delayed: No data available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary: No data available.

#### 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray, Foam, Dry powder

- Unsuitable extinguishing media: All other extinguishants
- 5.2. Special hazards arising from the substance or mixture: Thermal decomposition gives :, Nitrogen oxides (NOx), Sulphur oxides, Carbon oxides

#### 5.3. Advice for firefighters:

#### Specific methods:

Suppress gases, fumes and/or dust with water spray jet. Remove all sources of ignition.

#### Special protective actions for fire-fighters: Wear self-contained breathing apparatus and protective suit.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. <u>Personal precautions, protective equipment and emergency procedures:</u> Avoid contact with skin and eyes and inhalation of dust.

## 6.2. Environmental precautions:

Do not let product enter drains. Do not contaminate surface water.

#### 6.3. Methods and materials for containment and cleaning up:

#### Recovery:

Shovel or sweep up. Recover the product and place in a dry labelled container.

#### Elimination:

Dispose of as hazardous waste in compliance with local and national regulations.

## 6.4. Reference to other sections: None.

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

#### Technical measures/Precautions:

Provide appropriate exhaust ventilation at machinery. Provide showers, eye-baths. In the presence of an ignition source: Dust may form explosive mixture in air.

#### Safe handling advice:

In case of dust formation, wear a dust mask. Avoid static electricity build up with connection to earth.

#### Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin and the eyes. Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2. Conditions for safe storage, including any incompatibilities:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

#### Incompatible products:

Strong acids, Oxidizing agents

#### Packaging material:

Recommended: Cardboard lined with polyethylene liner, Paper bags lined with polyethylene

# 7.3. Specific end use(s): None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.1. <u>Control parameters:</u> Exposure Limit Values Not re	levant			
Derived No Effect Level (DNEL):	No data available.			
Predicted No Effect Concentration:	No data available.			
8.2. Exposure controls:				
General protective measures:	Ensure sufficient air exchange and/or exhaust in work areas			
Personal protective equipment: Respiratory protection: Hand protection: Eye/face protection: Skin and body protection:	Effective dust mask Impervious gloves Tightly fitting safety goggles Protective suit			

Environmental exposure controls: See chapter 6

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance:	
Physical state (20°C):	solid
Form:	roll, or, pellets
Odour:	odourless
Olfactory threshold:	No data available.
pH:	No data available.
Melting point/range :	Active ingredient (OECD Test Guideline 102)
Boiling point/boiling range :	Decomposes on heating. (A2 Method (D. 92/69/ECC))
Flash point:	Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	
Flammability:	Non flammable product (Flammability (solids))
Vapour pressure:	0,00181 Pa , at 25 °C Active ingredient (calculated)
Vapour density:	No data available.
Relative density:	No data available.
Water solubility:	0,12 g/l Active ingredient at 20 °C (OECD Test Guideline 105)
Partition coefficient: n-octanol/water:	1,3-DIHYDRO-4(OR 5)-METHYL-2H-BENZIMIDAZOLE-2-THIONE : log Kow : 0,4 , at $~25\ ^\circ\text{C}$
	(OECD Test Guideline 117)
Auto-ignition temperature:	Not applicable
Decomposition temperature:	No data available.
Viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.
9.2. <u>Other data:</u>	
pKA:	Active ingredient -0,15 - 0,5 (calculated)
	Active ingredient 10,6 (calculated)
	Active ingredient 14,2 (calculated)
Molecular weight:	Active ingredient 164 g/mol Active ingredient

# **10. STABILITY AND REACTIVITY**

## 10.1. <u>Reactivity:</u> No data available.

MLPC International

Mixland+ MMBI 70% GA

**10.2.** <u>Chemical stability:</u> The product is stable under normal handling and storage conditions.

## 10.3. Possibility of hazardous reactions: No data available.

## 10.4. Conditions to avoid:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

#### 10.5. Incompatible materials to avoid:

# Strong acids and strong bases

**10.6.** <u>Hazardous decomposition products:</u> Nitrogen oxides (NOx), Carbon dioxide (CO2), Sulphur oxides

## **11. TOXICOLOGICAL INFORMATION**

All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

## 11.1. Information on toxicological effects:

## Acute toxicity:

Inhalation:	According to its composition, can be considered as : Harmful if inhaled.
1,3-DIHYDRO-4(OR 5)-METHYL-2H-E	BENZIMIDAZOLE-2-THIONE : May be considered as comparable to a similar product for which experimental results are:
1,3-DIHYDRO-4(OR 5)-METHYL-2H-E  In animals :	BENZIMIDAZOLE-2-THIONE, ZINC SALT : No mortality/4 h/Rat: 2,12 mg/l
DISTILLATES (PETROLEUM), HYDR • In animals :	OTREATED LIGHT PARAFFINIC : No mortality/4 h/Rat: 5,53 mg/l (Method: OECD Test Guideline 403) (Aerosol)
Ingestion:	According to its composition, can be considered as : Harmful if swallowed.
1,3-DIHYDRO-4(OR 5)-METHYL-21 • In animals :	H-BENZIMIDAZOLE-2-THIONE : LD50/Rat: 330 mg/kg
DISTILLATES (PETROLEUM), HYI • In animals :	DROTREATED LIGHT PARAFFINIC : No mortality/Rat: 5.000 mg/kg (Method: OECD Test Guideline 401)
Dermal:	According to its composition, can be considered as : Slightly or not harmful in contact with skin
1,3-DIHYDRO-4(OR 5)-METHYL-2	H-BENZIMIDAZOLE-2-THIONE : May be considered as comparable to a similar product for which experimental results are:
1,3-DIHYDRO-4(OR 5)-METHYL-2 • In animals :	H-BENZIMIDAZOLE-2-THIONE, ZINC SALT : No mortality/Rat: 2.000 mg/kg (Method: OECD Test Guideline 402)
DISTILLATES (PETROLEUM), HYI • In animals :	DROTREATED LIGHT PARAFFINIC : No mortality/Rabbit: 5.000 mg/kg (Method: OECD Test Guideline 402)
Local effects ( Corrosion / Irritation / S	Serious eye damage ):
Skin contact:	Based on available data, the classification criteria are not met.
1,3-DIHYDRO-4(OR 5)-METHYL-2H-E • In animals :	BENZIMIDAZOLE-2-THIONE : No skin irritation (Rabbit, Exposure time: 24 h)
DISTILLATES (PETROLEUM), HYDR • In animals :	OTREATED LIGHT PARAFFINIC : Slightly irritating to skin. (Rabbit, Exposure time: 24 h)
Eye contact:	Based on available data, the classification criteria are not met.
1,3-DIHYDRO-4(OR 5)-METHYL-2H-E • In animals :	BENZIMIDAZOLE-2-THIONE : No eye irritation (Rabbit)
DISTILLATES (PETROLEUM), HYDR • In animals :	OTREATED LIGHT PARAFFINIC : No eye irritation (OECD Test Guideline 405, Rabbit)
Respiratory or skin sensitisation:	
Inhalation:	No data available.
Skin contact:	Based on available data, the classification criteria are not met.

MLPC International

1,3-DIHYDRO-4(OR 5)-METHYL-2H- • In animals :	BENZIMIDAZOLE-2-THIONE : No effect is reported. (Method : OECD Test Guideline 429 LLNA: Local Lymph Node Assay, Mouse)
DISTILLATES (PETROLEUM), HYDF • In animals :	ROTREATED LIGHT PARAFFINIC : Not a skin sensitizer (Method : OECD Test Guideline 406 Guinea pig maximization test)
CMR effects :	
Mutagenicity:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
In vitro	
1,3-DIHYDRO-4(OR 5)-METHYL-2H-	BENZIMIDAZOLE-2-THIONE : Ames test in vitro: Inactive (Method: OECD Test Guideline 471) In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476) Chromosome aberration test in vitro: Inactive (Method: OECD Test Guideline 473) ((Results obtained on a similar product).)
DISTILLATES (PETROLEUM), HYDF	ROTREATED LIGHT PARAFFINIC : Ames test in vitro: Inactive (Method: OECD Test Guideline 471) In vitro test for chromosomal abnormalities on CHO cells: Inactive (Method: OECD Test Guideline 473) In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476)
In vivo	
DISTILLATES (PETROLEUM), HYDF	ROTREATED LIGHT PARAFFINIC : Micronucleus test in vivo mouse: Inactive (Method: OECD Test Guideline 474)
Carcinogenicity:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
DISTILLATES (PETROLEUM), HY • In animals :	DROTREATED LIGHT PARAFFINIC : Absence of carcinogenic effects (Method: OECD Test Guideline 451, mice, Chronic, dermal route)
Reproductive toxicity:	
Fertility:	According to its composition, can be considered as : Suspected of damaging fertility.
1,3-DIHYDRO-4(OR 5)-METHYL-2	H-BENZIMIDAZOLE-2-THIONE : May be considered as comparable to a similar product for which experimental results are:
1,3-DIHYDRO-4(OR 5)-METHYL-2 • In animals :	H-BENZIMIDAZOLE-2-THIONE, ZINC SALT : Reproductive/Developmental Effects Screening Assay: Effects on fertility NOAEL (Parental toxicity): 45 mg/kg bw/day NOAEL (Fertility): < 45 mg/kg bw/day (Method: OECD Test Guideline 422, Rat, By diet)
DISTILLATES (PETROLEUM), HY • In animals :	DROTREATED LIGHT PARAFFINIC : Reproduction Test: No toxicity to reproduction NOAEL ( Parental toxicity ): 1.000 mg/kg bw/day NOAEL ( Fertility ): 1.000 mg/kg bw/day (Method: OECD Test Guideline 421, Rat, By oral route)
Foetal development:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
1,3-DIHYDRO-4(OR 5)-METHYL-2	H-BENZIMIDAZOLE-2-THIONE : No data available.
DISTILLATES (PETROLEUM), HY • In animals :	DROTREATED LIGHT PARAFFINIC : Absence of toxic effects for foetal development. NOAEL ( Developmental Toxicity ): 2.000 mg/kg bw/day NOAEL ( Maternal Toxicity ): < 125 mg/kg bw/day (Method: OECD Test Guideline 414, Rat, dermal route)

Mixland+ MMBI 70% GA

Flouuci.	MIXIANO+ MMBI 70% GA Fage. 77 h
SDS No.: 100064-100 (Version 1.	1) Date 20.05.2016 (Cancel and replace : 20.02.2015
Specific target organ toxicity : Single exposure :	
Inhalation:	<b>Possible irritation of respiratory system</b> At high concentrations, Dust inhalation:, Possible irritation of respiratory system
Repeated exposure:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2. Exposure routes : Oral Target Organs : Thyroid gland , Liver, Thymus
1,3-DIHYDRO-4(OR 5)-METHY • In animals :	L-2H-BENZIMIDAZOLE-2-THIONE : By oral route: NOAEL= 20 mg/kg (Rat, 28 d)
DISTILLATES (PETROLEUM), I • In animals :	HYDROTREATED LIGHT PARAFFINIC : By inhalation: No effect is reported. NOAEL= > 1 mg/l (Rat, 4 Weeks) (Aerosol) dermal route: No effect is reported. NOAEL= > 2.000 mg/kg (Method: OECD Test Guideline 411, Rat, 3 months) By oral route: (Results obtained on a similar product). Target organs: Reproductive organs, Stomach, Liver, Thymus, NOAEL= < 125 mg/kg (Method: OECD Test Guideline 408, Rat, 3 months)
Aspiration hazard:	Not relevant
12. ECOLOGICAL INFORMATION	N
Ecotoxicology Assessment:	All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.
	Acute aquatic toxicity : Toxic to aquatic life. Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.
12.1. <u>Toxicity :</u>	
Fish:	From its composition, it must be considered as: Harmful to fish.
1,3-DIHYDRO-4(OR 5)-METHY	L-2H-BENZIMIDAZOLE-2-THIONE : LC50, 5 d (Danio rerio (zebra fish)): 37,2 mg/l (Method: No information available.)
DISTILLATES (PETROLEUM), I	HYDROTREATED LIGHT PARAFFINIC : LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)
Aquatic invertebrates:	From its composition, it must be considered as: Toxic to daphnia.
1,3-DIHYDRO-4(OR 5)-METHY	L-2H-BENZIMIDAZOLE-2-THIONE : EC50, 48 h (Daphnia magna (Water flea)): 1,9 mg/l (Method: OECD Test Guideline 202, Immobilization)
DISTILLATES (PETROLEUM), I	HYDROTREATED LIGHT PARAFFINIC : LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202, pH: 7,7, Immobilization)
Aquatic plants:	From its composition, it must be considered as: Harmful to algae.
1,3-DIHYDRO-4(OR 5)-METHY	L-2H-BENZIMIDAZOLE-2-THIONE : EC50, 72 h (Desmodesmus subspicatus (green algae)) : 62 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)
DISTILLATES (PETROLEUM), I	HYDROTREATED LIGHT PARAFFINIC : LL50, 72 h (Pseudokirchneriella subcapitata (microalgae)) : > 100 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)
Microorganisms:	
1,3-DIHYDRO-4(OR 5)-METHY	L-2H-BENZIMIDAZOLE-2-THIONE : EC50, 3 h (Activated sludge) : > 10.000 mg/l (Method: OECD Test Guideline 209)
DISTILLATES (PETROLEUM), I	HYDROTREATED LIGHT PARAFFINIC : NOEC, 4 d (Photobacterium phosphoreum) : > 1,93 mg/l (Method: DIN 38412)
Aquatic toxicity / Long term toxi	<u>city:</u>
Aquatic invertebrates:	
1,3-DIHYDRO-4(OR 5)-METHY	L-2H-BENZIMIDAZOLE-2-THIONE : NOEC, 21 d (Daphnia magna (Water flea)) : 0,034 mg/l (Method: OECD Test Guideline 211, Immobilization)

D	oduct:	
	ouuci.	

DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC : NOEC, 21 d (Daphnia magna (Water flea)) : 10 mg/l (Method: OECD Test Guideline 211, Growth inhibition/Reproduction inhibition)
Aquatic plants:	
1,3-DIHYDRO-4(OR 5)-METHYL-2H	-BENZIMIDAZOLE-2-THIONE : EC50, 72 h (Desmodesmus subspicatus (green algae)) : 36 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)
DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC : NOEC r, 72 h (Pseudokirchneriella subcapitata) : 100 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)
12.2. Persistence and degradability :	
In water:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
Stability in water:	
1,3-DIHYDRO-4(OR 5)-METHYL-2H	-BENZIMIDAZOLE-2-THIONE : : Half-life: > 1 y at 20 °C Method: OECD Test Guideline 111
Biodegradation (In water):	From its composition, it must be considered as: Not readily biodegradable.
1,3-DIHYDRO-4(OR 5)-METHYL-2H	-BENZIMIDAZOLE-2-THIONE : Not readily biodegradable. 0 % after 28 d (Method: OECD Test Guideline 301 C)
DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC : Not readily biodegradable. Not readily biodegradable.: 4 % after 28 d (Method: OECD Test Guideline 301 B)
12.3. Bioaccumulative potential :	
Bioaccumulation:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
1,3-DIHYDRO-4(OR 5)-METHYL-2H	-BENZIMIDAZOLE-2-THIONE : Partition coefficient: n-octanol/water: log Kow : 0,4 , at 25 °C (Method: OECD Test Guideline 117)
12.4. Mobility in soil - Distribution an	nong environmental compartments:
Absorption / desorption: 1,3-DIHYDRO-4(OR 5)-METHYL-2H	-BENZIMIDAZOLE-2-THIONE : log Koc: 1,9 ( Method: OECD Test Guideline 121 )
12.5. Results of PBT and vPvB asses	asment :
Based on the available information, it is	s not possible to conclude on the hasard potential of this mixture.
12.6. Other adverse effects: None kno	own.
13. DISPOSAL CONSIDERATIONS	
13.1. Waste treatment:	
Disposal of product:	Destroy the product by incineration (in accordance with local and national regulations).
Disposal of packaging:	Destroy packaging by incineration at an approved waste disposal site (in accordance with local and national regulations).
14. TRANSPORT INFORMATION	

MLPC International

Regulation	14.1. UN number	14.2. UN proper shipping name	14.3. Class*	Label	14.4. PG*	14.5. Environmental hazards	14.6. Special precautions for user
ADR	3077	ENVIRONMENTALLY HAZARDOUS	9	9		yes	
		SUBSTANCE, SOLID, N.O.S.(1,3-dihydro-4(or 5)-				-	
		methyl-2Hbenzimidazole-2-thione)					
ADN	3077	ENVIRONMENTALLY HAZARDOUS	9	9		yes	
		SUBSTANCE, SOLID, N.O.S.				-	
RID	3077	ENVIRONMENTALLY HAZARDOUS	9	9	111	yes	
		SUBSTANCE, SOLID, N.O.S. (1,3-dihydro-4(or 5)-				-	
		methyl-2Hbenzimidazole-2-thione)					
IATA Cargo	3077	Environmentally hazardous substance, solid, n.o.s. (1,3-	9	9MI	111	yes	
_		dihydro-4(or 5)-methyl-2Hbenzimidazole-2-thione)				-	
IATA Passenger	3077	Environmentally hazardous substance, solid, n.o.s. (1,3-	9	9MI	111	yes	
_		dihydro-4(or 5)-methyl-2Hbenzimidazole-2-thione)				-	
IMDG	3077	ENVIRONMENTALLY HAZARDOUS	9	9		Marine	EmS Number: F-A, S-F
		SUBSTANCE, SOLID, N.O.S. (1,3-dihydro-4(or 5)-				pollutant	Mark: MP
		methyl-2Hbenzimidazole-2-thione)					

\*Description:

14.3. Transport hazard class(es) 14.4. Packing group

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

## **15. REGULATORY INFORMATION**

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

### Listed in:

EU. REACH, Annex XVII, Marketing and Use Restrictions (Regulation 1907/2006/EC): Distillates (petroleum), hydrotreated light paraffinic; Baseoil -- unspecified

EU. REACH, Annex XVII, Appendix 2, Entry 28 - Carcinogens: Category 1B (Table 3.1)/Category 2 (Table 3.2). (Regulation 1907/2006/EC): Distillates (petroleum), hydrotreated light paraffinic; Baseoil -- unspecified

## 15.2. Chemical safety assessment: None.

## **INVENTORIES:**

INVENTORIEO.	
EINECS:	Conforms to
TSCA:	Conforms to
DSL:	This product contains one or several components that are not on the Canadian DSL nor NDSL lists.
IECSC (CN):	Conforms to
KECI (KR):	Conforms to
PICCS (PH):	Conforms to
AICS:	Conforms to
NZIOC:	Conforms to
TSCA 12B:	

#### **16. OTHER INFORMATION**

#### Full text of H, EUH-phrases referred to under sections 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

## Update:

Safety datasheet sections which have been updated:		Туре:
3	REACH Registration Number	Additions

## Product:

SDS No.: 100064-100 (Version 1.1)

Mixland+ MMBI 70% GA

## Thesaurus:

NOAEL : No Observed Adverse Effect Level (NOAEL) LOAEL : Lowest Observed Adverse Effect Level (LOAEL) bw : Body weight food : oral feed dw : Dry weight vPvB : very Persistent and very Bioaccumulative PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of ARKEMA. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).