SAFETY DATA SHEET



Section 1. Identification

Product identifier :	BAYPREN 215
Material Number :	00078417
Chemical family :	Polychloroprene
Identified uses :	rubber
Supplier/Manufacturer :	LANXESS Corporation Product Safety & Regulatory Affairs 111 RIDC Park West Drive Pittsburgh, PA 15275-1112 USA
	For information: US/Canada (800) LANXESS International +1 412 809 1000
In case of emergency :	Chemtrec (800) 424-9300 International (703) 527-3887 Lanxess Emergency Phone (800) 410-3063.

Section 2. Hazards identification

HAZCOM Standard Status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Physical state	: Solid.
Color	: Beige.
Classification of the substance or mixture	: Not classified.
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Hazard Not Otherwise Classified (HNOC)	: None known.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

The following potentially hazardous ingredient(s) are used to formulate this product. As supplied, the ingredient(s) are bound in a polymer matrix. Because they are bound in the matrix, they are not expected to create any unusual hazards when handled and processed. according to good manufacturing and industrial hygiene practices and the guidelines provided by this MSDS.

Ingredient name	%	CAS number
Rosin	3 - 6%	8050-09-7

Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of first aid	<u>d measures</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Get medical attention if thermal burns occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Potential acute health	n effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Contact with hot material will cause thermal burns.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Reddening, itching, swelling, burning and possible permanent damage.
Ingestion	: No specific data.
Potential chronic hea	Ith effects
No known significant o	ffects or critical bazards

No known significant effects or critical hazards.

Notes to physician	: Treat symptomatically. No specific treatmen
Protection of first-aiders	: No special measures required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

: Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray (fog), foam or dry chemical.
: None known.
: Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.
: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. If molten, allow material to cool and place into an appropriate marked container for disposal. Prevent entry into sewers, water courses, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures :	Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Conditions for safe storage	Do not store above the following temperature: 25°C (77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

Section 8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name	Exposure limits
Talc (non-asbestos form)	OSHA PEL Z3 (United States, 9/2005). TWA: 20 mppcf 8 hours. Form: not containing asbestos STEL: 1 f/cc 30 minutes. Form: not containing asbestos TWA: 0.1 f/cc 8 hours. STEL: 1 f/cc 30 minutes.

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Appropriate engineering controls

: Thermal processing operations should be ventilated to control gases and fumes given off during processing.

Personal protection

00078417

Section 8. Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Skin protection	: Wear cloth work clothing including long pants and long-sleeved shirts. gloves, When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product. Suitable protective footwear.
Eye/face protection	: If contact with product is possible, wear safety glasses with side shields.
Medical Surveillance	: Not available.

Section 9. Physical and chemical properties

Physical state	:	Solid. [chips]
Color	1	Beige.
Odor	1	Odorless.
Odor threshold	1	Not available.
рН	1	Not available.
Boiling point	1	Not available.
Melting point	1	Not available.
Flash point	1	Not available.
Evaporation rate	1	Not available.
Explosion limits	1	Not available.
Vapor pressure	1	Not available.
Density	:	1.23 g/cm ³
Specific gravity (Relative density)	:	Not available.
Solubility	1	Insoluble in the following materials: cold water
Partition coefficient: n- octanol/water	:	Not available.
Vapor density	1	Not available.
Viscosity	1	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Keep away from heat and direct sunlight.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on the likely routes of exposure	:	Dermal contact.
Potential acute health effects	<u>s</u>	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Contact with hot material will cause thermal burns.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	/sica	al, chemical and toxicological characteristics
Eye contact	1	No specific data.
Inhalation	1	No specific data.
Skin contact	1	Reddening, itching, swelling, burning and possible permanent damage.
Ingestion	:	No specific data.
Potential chronic health effe	<u>cts</u>	
<u>Short term exposure</u>		
Potential immediate	1	Not available.
effects		
Long term exposure		
Potential delayed effects	1	Not available.
General	1	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.
Fertility effects	1	No known significant effects or critical hazards.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	Test
Talc (non-asbestos form)	LD50 Oral	Rat	>15000 mg/kg	-	-
Irritation/Corrosion					

Conclusion/Summarv

	ciusion/	Summa	LY.
Sk	in		

: Talc (non-asbestos form):Non-irritating (Rabbit)

Eyes : Talc (non-asbestos form):Non-irritating (Rabbit)

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Talc (non-asbestos form)	Ames test	Experiment: In vitro Subject: Bacteria	Negative
	Dominant lethal assay	Experiment: In vivo Subject: Mammalian-Animal	Negative

Carcinogenicity

Product/ingredient name	CAS #	IARC	NTP	OSHA
Rosin	8050-09-7	Not classified.	Not classified.	Not classified.

Specific target organ toxicity (single exposure)

Category 3	Not applicable.	Respiratory tract	
		irritation	
A	ATE value (Acute Toxicity Estimates)		
	Α	ATE value (Acute Toxic	

Product/ingredient name	Test	Result	Species	Exposure
Talc (non-asbestos form)	- 203 Fish, Acute Toxicity Test	Acute LC50 >100000 mg/l Acute LC50 >10000 mg/l	Fish Fish - Danio rerio	96 hours 24 hours
Conclusion/Summary	: Not available.		L	
Persistence and degradabil	<u>ity</u>			
Conclusion/Summary	: Not available.			
Bioaccumulative potential Not available.				
Not available.				

Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls laws.
RCRA classification	: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Section 14. Transport information

		a				
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	-	-	-	-		Not regulated.
IMDG Class	-	-	-	-		Not regulated.
IATA-DGR Class	-	-	-	-		Not regulated.

PG* : Packing group

Section 15. Regulatory information

•	-			
SARA 311/312	: Not	applicable.		
SARA Title III Section 302 Extremely Hazardous Substances	: Non	9		
SARA Title III Section 313 Toxic Chemicals	: Non	9		
US EPA CERCLA Hazardous Subtances (40 CFR 302)	: Non	e		
State regulations The following chemicals are s sections on the SDS may also should contact the appropriate	be appli	cable for state require		
Ingredient name		CAS number	State Code	
Talc (non-asbestos form) Rosin Polychlorobutadiene Modified Polychloroprene		14807-96-6 8050-09-7 9010-98-4 58924-00-8	NJ - HS, PA - RTK H PA - RTK HS	S
Massachusetts Substances:	MA - S			

ealth and safety data in other gulatory requirements you


Ingredient name	<u>CAS number</u>	State Code	Concentration		
			<u>(%)</u>		
Talc (non-asbestos form)	14807-96-6	NJ - HS, PA - RTK HS	<1%		
Rosin	8050-09-7	PA - RTK HS	3 - 6%		
Polychlorobutadiene	9010-98-4		65 - 71%		
Modified Polychloroprene	58924-00-8		20 - 26%		
Massachusetts Substances: MA - S Massachusetts Extraordinary Hazardous Substances: MA - Extra HS New Jersey Hazardous Substances: NJ - HS Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS					

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	<u>CAS #</u>	Concentration (%)	<u>Cancer</u>	Reproductive
Talc (non-asbestos form)	14807-96-6	<1%	Yes	
U.S. Toxic Substances	: Listed on the	e TSCA Inventory.		

Section 16. Other information



2

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme *=Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



00078417

Section 16. Other information

0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of issue	: 08-14-2013
Date of previous issue	: No previous validation
Version	: 1
	Product Safety and Regulatory Affairs

✓ Indicates information that has changed from previously issued version.

Notice to reader

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this SDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this SDS.