

# Keltan ® 9950C

Version 1.0	Revision Date: 11/14/2018		DS Number: 3000006495	Date of previous issue: - Country / Language: US / EN
SECTION 1	. IDENTIFICATION			
Produc	t name	:	Keltan ® 9950C	
Materia	al number	:	57135656	
Recom	mended use	:	crude product for	the production of technical rubber articles
Manufacturer or supplier's de			nils	
Supplie	Pr	:	ARLANXEO USA 111 RIDC Park W PITTSBURGHPA USA	/est Drive
Teleph	one	:	+18005269377 Fe +14128091000 In	or information: US/Canada ternational
Emerg	ency telephone	:	Chemtrec (800) 4 International (703 Lanxess Emerger	

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

### **GHS** label elements

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Ethylene-propylene-diene-rubber (EPDM)

### Hazardous ingredients

No hazardous ingredients

#### SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash off with soap and water. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if symptoms appear.
If swallowed	:	Get medical attention if symptoms appear.



# Keltan ® 9950C

Version 1.0	Revision Date: 11/14/2018		DS Number: 3000006495	Date of previous issue: - Country / Language: US / EN		
Mos	t important symptoms a	and	effects, both ac	ute and delayed		
S	ymptoms	:	Skin: Reddenir	ng, burning, and possible permanent damage.		
E	ffects	:	Contact with he	Contact with hot material causes thermal skin burns.		
SECTION	1 5. FIRE-FIGHTING ME	ASI	JRES			
Suita	able extinguishing media	:		(CO2) ng measures that are appropriate to local cir- d the surrounding environment.		
Unsu medi	uitable extinguishing ia	:	None known.			
Spec fighti	sific hazards during fire	:	Toxic and irritating or thermal c	ing gases/fumes may be given off during burn- lecomposition.		
Haza ucts	ardous combustion prod-	:	Carbon dioxide Carbon monoxi			
Furth	ner information	:	vicinity of the in	e the scene by removing all persons from the cident if there is a fire. be taken involving any personal risk or without g.		
	cial protective equipment re-fighters	:	and self-contair	ould wear appropriate protective equipment ned breathing apparatus (SCBA) with a full rated in positive pressure mode.		
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES			
tive e	onal precautions, protec- equipment and emer- ey procedures	• :	suitable training Put on appropri Do not touch or	be taken involving any personal risk or without g. ate personal protection equipment. walk through spilled material. onnel to safe areas.		

Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods and materials for	:	Move containers from spill area.
containment and cleaning up		Vacuum or sweep up material and place in a designated, la- beled waste container.
		Dispose of wastes in an approved waste disposal facility.
		Do not allow spilled material or wash water to enter sewers,
		surface waters, or groundwater systems.



# Keltan ® 9950C

Version 1.0	Revision Date: 11/14/2018	-	DS Number: 03000006495	Date of previous issue: - Country / Language: US / EN	
SECTION	I 7. HANDLING AND ST	OR	AGE		
Advice on safe handling		:	<ul> <li>Remove contaminated clothing and protective equipment before entering eating areas.</li> <li>Workers should wash hands and face before eating, drinking and smoking.</li> <li>Put on appropriate personal protection equipment.</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.</li> </ul>		
			Protect from mois	sture.	
Conditions for safe storage		:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container closed when not in use. Containers that have been opened must be carefully reseale and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate container to avoid environmental contamina tion.		
			Keep away from of Protect from mois	direct sunlight or strong incandescent light. sture.	
Reco perat		:	< 86 °F (< 30 °C)		

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace		ntrol parameters upational exposure limit values.
Engineering measures	:	Good general ventilation should be sufficient to control work- er exposure to airborne contaminants.
Personal protective equipn	nent	
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection		
Remarks	:	Wear suitable gloves.
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Wear suitable protective clothing.



# Keltan ® 9950C

/ersion I.0	Revision Date: 11/14/2018		S Number: 3000006495	Date of previous issue: - Country / Language: US / EN			
Hygier	Hygiene measures		: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.				
ECTION 9	9. PHYSICAL AND CHI	EMIC	CAL PROPERTIE	S			
Physic	al state	:	solid				
Appea	rance	:	bales				
Color		:	white				
Odor		:	slight, characteri	stic			
Odor 7	Threshold	:	No data available	e			
рН		:	No data available	e			
Melting	g point/freezing point	:	No data available	e			
Boiling	point/boiling range	:	No data available	e			
Flash	point	:	No data available	e			
Evapo	ration rate	:	No data available	e			
Flamm	nability (solid, gas)	:	No data available	e			
Self-ię	gnition	:	> 698 °F (> 370 Autoignition tem				
Burnin	g number	:	1 (68 °F (20 °C))				
	explosion limit / Upper ability limit	:	No data availabl	e			
Lower	explosion limit	:	No data available	e			
Vapor	pressure	:	No data available	e			
Relativ	ve vapor density	:	No data available	e			
Relativ	ve density	:	No data available	e			
Densit	у	:	No data available	e			
	lity(ies) ter solubility	:	insoluble				
Partitic	on coefficient: n-	:	No data available	e			



# Keltan ® 9950C

Version 1.0	Revision Date: 11/14/2018	SDS Number: 103000006495	Date of previous issue: - Country / Language: US / EN		
octan	ol/water				
Ignitio	on temperature	: No data avai	lable		
Deco	mposition temperature	: > 572 °F (> 300 °C)			
Visco	sity	: No data avai	lable		
Explo	sive properties	: No data avai	lable		
Oxidi	zing properties	: No data avai	lable		

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reac- tions	:	None known.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	No specific data.
Hazardous decomposition pr	od	ucts
Thermal decomposition	:	Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO2 may be developed. Degradation products of the polymers and their additives may also be formed.

# SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

# Information on likely routes of exposure

Inhalation Skin contact

# Acute toxicity

Not classified based on available information.

# Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Not classified based on available information.



# Keltan ® 9950C

Vers 1.0	sion	Revision Date: 11/14/2018	SDS Number: 103000006495	Date of previous issue: - Country / Language: US / EN
	Respir	atory or skin sensitiz	zation	
	Skin s	ensitization		
	Not cla	ssified based on avail	able information.	
	Respir	atory sensitization		
	Not cla	ssified based on avail	able information.	
	Germ	cell mutagenicity		
	Not cla	ssified based on avail	able information.	
	Carcin	ogenicity		
		ssified based on avail		
	IARC			product present at levels greater than or ntified as probable, possible or confirmed
			human carcinogen l	
	OSHA		No component of th	is product procept at lovels greater than or
	USHA			is product present at levels greater than or OSHA's list of regulated carcinogens.
			·	
	NTP			product present at levels greater than or ntified as a known or anticipated carcinogen
			by NTP.	nance as a known of anticipated careinogen

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

# Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks: Under the recommended processing conditions small amounts of emitted substance (e.g. residual monomers, residual solvents, decomposition products) may be discharged. According to our experience and information the product has no harmful effects on health if properly handled.

The substance(s) listed in Chapter 3 is/are encapsulated in this preparation in a polymer and is/are therefore not bioavailable.

# SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity

No data available

# Persistence and degradability

No data available

# Keltan ® 9950C



Version 1.0	Revision Date: 11/14/2018		DS Number: 03000006495	Date of previous issue: - Country / Language: US / EN
	accumulative potential data available			
	<b>bility in soil</b> data available			
Oth	er adverse effects			
	<u>duct:</u> litional ecological infor- ion	:	sistency and inso	actically insoluble in water. In view of its con- ubility in water, no ecological problems are he product is properly handled. This product egradable.
SECTIO	N 13. DISPOSAL CONSI	DEF	RATIONS	
tion	RA - Resource Conserva- and Recovery Authoriza- Act	:	hazardous waste er, under RCRA, determine at the t ing the product or	purchased form, this product would not be a either by listing or by characteristic. Howev- t is the responsibility of the product user to ime of disposal, whether a material contain- derived from the product should be classi- us waste. (40 CFR 261.20-24)
Dis	oosal methods	:	The generation of wherever possible	waste should be avoided or minimized

Waste disposal should be in accordance with existing federal,

This material and its container must be disposed of in a safe

Empty containers retain product residue; observe all precau-

Avoid dispersal of spilled material and runoff and contact with

state, provincial and/or local environmental controls.

# SECTION 14. TRANSPORT INFORMATION

### **Domestic regulation**

**DOT** Not regulated as a dangerous good

### International Regulations

IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

way.

tions for product.

soil, waterways, drains and sewers.

Not applicable for product as supplied.



# Keltan ® 9950C

Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	11/14/2018	10300006495	Country / Language: US / EN

# **SECTION 15. REGULATORY INFORMATION**

### CERCLA

None

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

Ethylene Propylene Diene Rubber	25038-36-2	95 - 100
---------------------------------	------------	----------

### California Prop. 65

WARNING: This product can expose you to chemicals including Hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Any chemical(s) listed above which do not appear elsewhere on this SDS are contained in this product at concentrations below 0.01%.

### **TSCA** inventory

TSCA

: On TSCA Inventory


### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# Keltan ® 9950C





LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 11/14/2018

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.