# SAFETY DATA SHEET



### **Section 1. Identification**

Product identifier : LEVAMELT 500

Material Number : 05608546

Chemical name : Ethylene-Vinyl Acetate Copolymer

Synonym : EVA Copolymer
Chemical family : Synthetic rubber

Identified uses : Rubber

Supplier/Manufacturer : LANXESS Corporation

**Product Safety & Regulatory Affairs** 

111 RIDC Park West Drive Pittsburgh, PA 15275-1112

USA

For information: US/Canada (800) LANXESS

International +1 412 809 1000

In case of emergency : Chemtrec (800) 424-9300

International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063.

### Section 2. Hazards identification

**HAZCOM Standard Status**: While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), the SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for

employees and other users of this product.

Physical state : Solid.

Color : Colorless.

Classification of the substance or mixture

: Not classified.

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

Hazard Not Otherwise Classified (HNOC)

: None known.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.

Disposal : Not applicable.

**Supplemental label** : Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

elements area, away from incompatible materials and food and drink

# Section 3. Composition/information on ingredients

Substance/mixture : Polymer

Chemical name : Ethylene-Vinyl Acetate Copolymer

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

LEVAMELT 500 05608546 Version 1.01 **1/7** 

## Section 3. Composition/information on ingredients

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of first aid measures**

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur. Get medical attention if thermal burns occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Contact with hot material will cause thermal burns.
 Ingestion
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

**Skin contact**: Reddening, itching, swelling, burning and possible permanent damage.

**Ingestion**: No specific data.

#### Potential chronic health effects

No known significant effects or critical hazards.

**Notes to physician** : Treat symptomatically. No specific treatment.

**Protection of first-aiders**: No special measures required.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

 Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

LEVAMELT 500 05608546 Version 1.01 **2/7** 

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

**Environmental precautions** 

Methods and materials for containment and cleaning up protective equipment.

: No special measures required.

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. If molten, allow material to cool and place into an appropriate marked container for disposal. Prevent entry into sewers, water courses, basements or confined

### Section 7. Handling and storage

#### **Precautions for safe handling**

**Protective measures** 

: Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage: Do not store above the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

### Section 8. Exposure controls/personal protection

#### Occupational exposure limits

No exposure limit value known.

**Appropriate engineering** controls

: Thermal processing operations should be ventilated to control gases and fumes given off during processing.

Personal protection

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin protection

: Wear cloth work clothing including long pants and long-sleeved shirts, gloves, When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product. Suitable protective footwear.

**Eye/face protection** 

: If contact with product is possible, wear safety glasses with side shields.

: Not available. **Medical Surveillance** 

### Section 9. Physical and chemical properties

Solid. [Granular solid.] **Physical state** 

Color Colorless. Odor Odorless. **Odor threshold** Not available. pН Not available. **Boiling point** : Not available.

**LEVAMELT 500** 05608546 Version 1.01 3/7

### Section 9. Physical and chemical properties

Melting point: >100°C (>212°F)Flash point: Not available.Evaporation rate: Not available.Explosion limits: Not available.Vapor pressure: Not available.Density: 1 g/cm³

**Specific gravity (Relative** 

density)

Not available.

**Solubility** : Insoluble in the following materials: cold water

Partition coefficient: n-

octanol/water

Not available.

Vapor density : Not available.
Viscosity : Not available.
Auto-ignition temperature : Not available.
Decomposition temperature : Not available.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Keep away from heat and direct sunlight.

Incompatible materials : No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

### **Section 11. Toxicological information**

Information on the likely routes of exposure

: Dermal contact. Inhalation.

#### Potential acute health effects

Eye contact
 Inhalation
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 Contact with hot material will cause thermal burns.
 No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

**Skin contact** : Reddening, itching, swelling, burning and possible permanent damage.

**Ingestion**: No specific data.

#### Potential chronic health effects

#### **Short term exposure**

Potential immediate : Not available.

effects

#### **Long term exposure**

Potential delayed effects: Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.

LEVAMELT 500 05608546 Version 1.01 **4/7** 

# Section 11. Toxicological information

**Developmental effects** 

: No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

Information on toxicological effects

No applicable toxicity data

**Acute toxicity estimates** 

Route

ATE value (Acute Toxicity Estimates)

Not available.

## **Section 12. Ecological information**

### **Toxicity**

Not available.

**Conclusion/Summary**: Not available.

Persistence and degradability

**Conclusion/Summary**: Not available.

**Bioaccumulative potential** 

Not available.

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls

**RCRA** classification

: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

## **Section 14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	-	-	-	-		Not regulated.
IMDG Class	-	-	-	-		Not regulated.
IATA-DGR Class	-	-	-	-		Not regulated.

PG\*: Packing group

RQ : 0 lbs

## **Section 15. Regulatory information**

SARA 311/312 : Not applicable.

Ingredient name CAS number Concentration (%)

SARA Title III Section 302

**Extremely Hazardous** 

**Substances** 

: Vinyl Acetate

None

108-05-4 < 0.1%

**SARA Title III Section 313** 

**Toxic Chemicals** 

US EPA CERCLA : None

**Hazardous Subtances (40** 

**CFR 302)** 

#### State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>Ingredient name</u> <u>CAS number</u> <u>State Code</u> <u>Concentration</u>

(%)

Ethylene Vinyl Acetate Copolymer 24937-78-8 95 - 100%

Massachusetts Substances: MA - S

Massachusetts Extraordinary Hazardous Substances: MA - Extra HS

New Jersey Hazardous Substances: NJ - HS

Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS

#### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

Ingredient name CAS # Concentration (%) Cancer Reproductive

Acetaldehyde 75-07-0 < 0.01% Yes


U.S. Toxic Substances

**Control Act** 

: Listed on the TSCA Inventory.

### Section 16. Other information

Hazardous Material Information System



0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme \*=Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

LEVAMELT 500 05608546 Version 1.01 **6/7** 

### Section 16. Other information

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of issue : 03-31-2014 Date of previous issue : 06-20-2013

Version : 1.01

Product Safety and Regulatory Affairs

Indicates information that has changed from previously issued version.

#### **Notice to reader**

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this SDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this SDS.