

# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

#### **SECTION 1. IDENTIFICATION**

Product name : Perbunan® 2255 F

Product code : 56448083

#### Manufacturer or supplier's details

Company name of supplier : ARLANXEO USA LLC

Address : 111 RIDC Park West Dr

PITTSBURGH PA 15275-1112 USA

Telephone : (412) 809-1000

Emergency telephone : Chemtrec +18004249300

Chemtrec Int'l. +17035273887

For Information: RAPS@arlanxeo.com

#### Recommended use of the chemical and restrictions on use

Recommended use : crude product for the production of technical rubber articles

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

#### **GHS** label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture :

Substance

Chemical nature : butadiene-acrylonitrile-rubber (NBR).

Polymer

CAS-No. : Not Assigned

## Components

No hazardous ingredients



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

**SECTION 4. FIRST AID MEASURES** 

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if symptoms appear.

If swallowed : Get medical attention if symptoms appear.

Most important symptoms and effects, both acute and

delayed

Skin: Reddening, burning, and possible permanent damage.

Contact with hot material causes thermal skin burns.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Foam

Dry chemical

Carbon dioxide (CO2)

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Toxic and irritating gases/fumes may be given off during burn-

ing or thermal decomposition.

Hazardous combustion prod-

ucts

Carbon dioxide (CO2)

Carbon monoxide Nitrogen oxides (NOx)

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment:

for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate personnel to safe areas.



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Move containers from spill area.

Vacuum or sweep up material and place in a designated, la-

beled waste container.

Dispose of wastes in an approved waste disposal facility.

Do not allow spilled material or wash water to enter sewers,

surface waters, or groundwater systems.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage : Keep away from heat and direct sunlight.

Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep container closed when not in use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Recommended storage tem-

perature

< 95 °F / < 35 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

## Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

Remarks : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Ensure that eyewash stations and safety showers are close

to the workstation location.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : bales

Color : Light, beige

Odor : rubber

Self-ignition :  $> 572 \, ^{\circ}\text{F} \, / > 300 \, ^{\circ}\text{C}$ 

Autoignition temperature

Density : 0,97 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Solubility in other solvents : Solvent: Aromatic hydrocarbons

Description: soluble

Solvent: Esters Description: soluble

Solvent: Ketones Description: soluble

Decomposition temperature :  $> 392 \, ^{\circ}\text{F} \, / > 200 \, ^{\circ}\text{C}$ 

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : Extremes of temperature and direct sunlight.



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

Incompatible materials : No specific data.

## **Hazardous decomposition products**

Thermal decomposition : Caused by smouldering and incomplete combustion toxic

fumes mainly consisting of CO and CO2 may be developed.

Degradation products of the polymers and their additives may

also be formed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact

## **Acute toxicity**

Not classified based on available information.

## Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

## **Product:**

Remarks : Under the recommended processing conditions small

amounts of emitted substance (e.g. residual monomers, residual solvents, decomposition products) may be discharged. According to our experience and information the product has

no harmful effects on health if properly handled.

The substance(s) listed in Chapter 3 is/are encapsulated in this preparation in a polymer and is/are therefore not bioavail-

able.

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

# Other adverse effects

#### **Product:**

Additional ecological infor-

mation

The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. This product is not readily biodegradable.



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

RCRA - Resource Conservation and Recovery Authorization

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

fied as a hazardous waste. (40 CFR 261.20-24)

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

## **49 CFR**

Not regulated as a dangerous good

Remarks : Not dangerous cargo, Keep separated from foodstuffs

## **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)
Aluminum sulfate	10043-01-3	5000

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations** 

**Massachusetts Right To Know** 

Acrylonitrile 107-13-1 1,3-Butadiene 106-99-0

Pennsylvania Right To Know

Acrylonitrile-Butadiene Copolymer 9003-18-3 Aluminum sulfate 10043-01-3

**Maine Chemicals of High Concern** 

1,3-Butadiene 106-99-0

**Vermont Chemicals of High Concern** 

Acrylonitrile 107-13-1

**Washington Chemicals of High Concern** 

Acrylonitrile 107-13-1

California Prop. 65

WARNING: This product can expose you to chemicals including 1,3-Butadiene, Acrylonitrile, which is/are known to the State of California to cause cancer, and 1,3-Butadiene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Any chemical(s) listed above which do not appear elsewhere on this SDS are contained in this product at concentrations below 0.01%.

The ingredients of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



# Perbunan® 2255 F


Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;



# Perbunan® 2255 F

Version Revision Date: SDS Number: Date of last issue: -

1.1 10.08.2021 103000004770 Date of first issue: 30.07.2019

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 10.08.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN